Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1580	USB.u/c. same (redundant (fail adj over) failover (back adj up) backup standby secondary)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/07 09:41
L2	432	1 same card	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/07 09:39
L3	6	1 same ((single adj board adj computer) (pc adj blade) sbc.u/c.)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/07 09:37
L4	28	USB.u/c. near (redundant (fail adj over) failover (back adj up) backup standby secondary)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/07 09:41
L5	330	(361/788).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/07 10:50
L6	79	5 and (redundant (fail adj over) failover (back adj up) backup standby secondary)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/07 10:56
L7	354	compact adj PCI.u/c.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/07 10:55
L8	1140137	(redundant (fail adj over) failover (back adj up) backup standby secondary)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/07 10:56
L9	205	7 and 8	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/07 10:56
L10	126	PICMG.u/c.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/07 10:56
L11	83	10 and 8	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/07 10:56
L12	3060	vme.u/c.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/07 10:57

L13	1292	12 and 8	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/07 10:57
L14	136	9 and (serial or RS232)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/07 11:03
L15	55	11 and (serial or RS232)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/07 11:42
L16	732	13 and (serial or RS232)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/07 10:58
L17	2425	(((single adj board) adj (computer microcomputer)) ((server pc computer) adj blade))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/07 11:43
L18	1142	17 and 8	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/07 11:44
L19	160	17 same 8	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/07 14:21
L21	7	("5136498" | "5202822" | "5255388" | "5508910" | "5655149" | "5997166" | "6085333").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/07 13:16
L22	0	("6192437").URPN.	USPAT	OR	ON	2005/09/07 13:20
L29	114	19 and (serial rs232 rs422 rs485)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/07 14:22
S3	1326	(714/4).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/01 11:24
S5	533	(714/11).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/01 15:30
S6	421	(714/13).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/01 17:30

S7	11141	sbc.u/c. spe.u/c. (pc near2 blade)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/01 17:31
S8	32	S7 and (fail adj over)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/01 17:31
S9	2234	S7 and ((primary same secondary) (active same (auxiliary standby)) redundant failover)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/01 17:37
S10	136	S7 same ((primary same secondary) (active same (auxiliary standby)) redundant failover)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/02 14:01
S11	1	("6453435").PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/02 14:01
S12	147	(714/44).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/06 08:24
S13	12634	pbx.u/c.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/06 08:24
S14	106	S13 and ((fail adj over) failover)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/06 08:38

| S15 | 48 | (("52492705327520") or ("57348725401791") or ("58988465574801") or ("54035065664052") or ("54386745669774") or ("54559265697060") or ("61733505752222") or ("57244105809455") or ("49544565812447") or ("53713285822681") or ("53919175881104") or ("54707665959971") or ("56524566047253") or ("58106076115685") or ("62862086182032") or ("58683046226533") or ("67264046226533") or ("67934406631504") or ("55828176886121") or ("57354525223405") or ("59220596419714") or ("62371165867666") or ("63569666173411") or ("65581115889788") or ("66081344606536") or ("53135874867522") or ("55396214251873") or ("38045314435824") or ("63004614575818") or ("63037484626718") or ("64370854949355") or ("65105295229652") or ("67082865561806") or ("53036765604513") or ("54147975613595") or ("54212915623400") or ("56404585770R96") or ("58514745952894") or ("59307586003138") or ("59566386029093") or ("52589456064647") or ("54126646119169") or ("55769826185857") or ("58942426317700") or ("43785085202624") or ("54795615483518") or ("57490655581541") or ("48455325617420") or ("49140485640521") or ("49842635875353") or ("6238599") or ("6242504") or ("6243672") or ("6253986") or ("6278184") or ("6278971") or ("6308279") or ("6314391") or ("6322685") or ("6351254") or ("6356211") or ("6366545") or ("6371318") or ("6399170") or ("6401797") or ("6415251") or ("6423793") or ("6429277") or ("6445800") or ("6451297") or | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2005/09/06 08:38 |

| S16 | 147 | (("5249270") or ("5327520") or ("5734872") or ("5401791") or ("5898846") or ("5574801") or ("5403506") or ("5664052") or ("5438674") or ("5669774") or ("5455926") or ("5697060") or ("6173350") or ("5752222") or ("5724410") or ("5809455") or ("4954456") or ("5812447") or ("5371328") or ("5822681") or ("5391917") or ("5881104") or ("5470766") or ("5959971") or ("5652456") or ("6047253") or ("5810607") or ("6115685") or ("6286208") or ("6182032") or ("5868304") or ("6226533") or ("6726404") or ("6226533") or ("6793440") or ("6631504") or ("5582817") or ("6886121") or ("5735452") or ("5223405") or ("5922059") or ("6419714") or ("6237116") or ("5867666") or ("6356966") or ("6173411") or ("6558111") or ("5889788") or ("6608134") or ("4606536") or ("5313587") or ("4867522") or ("5539621") or ("4251873") or ("3804531") or ("4435824") or ("6300461") or ("4575818") or ("6303748") or ("4626718") or ("6437085") or ("4949355") or ("6510529") or ("5229652") or ("6708286") or ("5561806") or ("5303676") or ("5604513") or ("5414797") or ("5613595") or ("5421291") or ("5623400") or ("5640458") or ("5770R96") or ("5851474") or ("5952894") or ("5930758") or ("6003138") or ("5956638") or ("6029093") or ("5258945") or ("6064647") or ("5412664") or ("6119169") or ("5576982") or ("6185857") or ("5894242") or ("6317700") or ("4378508") or ("5202624") or ("5479561") or ("5483518") or ("5749065") or ("5581541") or ("4845532") or ("5617420") or ("4914048") or ("5640521") or ("4984263") or ("5875353") or ("6238599") or ("6242504") or ("6243672") or ("6253986") or ("6278184") or ("6278971") or ("6308279") or ("6314391") or ("6322685") or ("6351254") or ("6356211") or ("6366545") or ("6371318") or ("6399170") or ("6407978") or ("6415251") or ("6423793") or ("6429277") or ("6445800") or ("6451297") or | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2005/09/06 13:03 |

S17	1834	new adj world	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/06 13:03
S18	1	S17 same PBx.u/c.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/06 13:04
S19	1032	((voice adj mail) voicemail) same pbx.u/c.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/06 13:04
S20	9	S19 and ((fail adj over) failover)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/06 13:07
S21	224	converged near network	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/06 13:28
S22	81	S21 and (serial RS232)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/06 13:28
S23	42	S22 and (redundant (fail adj over) failover (back adj up) backup standby secondary)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/06 13:32
S24	39	S22 not S23	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/06 13:34
S25	143	S21 not S22	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/06 13:35
S26	0	SSP and SAP and SBC	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/06 13:35
S27	28	system adj switch adj processor	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/06 13:38
S28	0	serial adj alarm adj processor	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/06 13:38

S29	1879	single adj board adj computer	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/06 17:14
S30	825	S29 and (redundant (fail adj over) failover (back adj up) backup standby secondary)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/06 14:24
S31	453	voice near data near fax	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/06 13:44
S32	2	S30 and S31	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/06 13:39
S33	2767	voice with data with fax	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/06 13:45
S34	7	S33 and S30	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/06 13:45
S35	5	S34 not S32	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/06 13:48
S36	57	379/9.05.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/06 13:56
S37	1322	379/93.09.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/06 13:56
S38	39	S37 and S33	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/06 13:56
S39	11	S38 and serial	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/06 13:58
S40	28	S38 not S39	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/06 14:01

S41	0	S18 same S33	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/06 14:02
S42	1	S18 and S33	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/06 14:02
S43	4383	S29 or sbc.u/c.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/06 14:02
S44	1830	S43 and (redundant (fail adj over) failover (back adj up) backup standby secondary)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/06 14:03
S45	51	S44 and (service near processor)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/06 14:22
S46	926	IP.u/c. with pbx.u/c.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/06 14:23
S47	227	IP.u/c. near pbx.u/c.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/06 14:23
S48	184	IP.u/c. adj pbx.u/c.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/06 14:23
S49	88	"ip-pbx"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/06 14:23
S50	184	S48 or S49	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/06 14:23
S51	6	ippbx.u/c.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/06 14:23
S52	188	S51 or S50	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/06 14:24

S53	52	S52 and (redundant (fail adj over) failover (back adj up) backup standby secondary)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/06 17:04
S54	216	(379/325).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/06 17:12
S55	231	S47 or S52	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/06 17:12
S56	1	S55 and "714"/$3.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/06 17:13
S57	4383	(single adj board adj computer) or sbc.u/c.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/06 17:14
S58	120	S57 and "714"/$3.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/06 17:20
S59	1668	3com.as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/06 17:20
S60	2	S59 and (ip adj pbx)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/06 17:22
S61	426	S59 and (serial or RS232)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/06 17:25
S63	865	serial and (fail adj over)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/06 18:27
S64	0	serial near (fail adj over)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/06 18:27
S65	57	serial same (fail adj over)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/07 09:36